


Capecitabine



Capecitabine is the prodrug of 5-Fluoruracil (5-FU), a Uracil analogue. In biosynthesis, it is incorrectly installed, resulting in poorer product characteristics or a featureless product. This happens more often in highly expressing cells, such as tumor cells. The cytostatic effect is therefore used in metastatic colorectal cancer, mamma carcinoma and gastric carcinomas. It has fewer side effects than 5-FU.

C ₁₅ H ₂₂ FN ₃ O ₆
359.35 g/mol
small
no
no
Antineoplastic drugs

Your Contact



Marius Hang International Division Director API Export

Midas Pharma GmbH Rheinstr. 49 55218 Ingelheim Germany Send E-Mail

Disclaimer

The information contained herein is the proprietary information of Midas Pharma GmbH and its affiliates. This information is provided to you solely for your evaluation, to determine your interest in a potential business relationship with Midas Pharma GmbH and/or its affiliates. Midas Pharma GmbH excludes any express or implied representations, guarantees or warranties of whatsoever nature, including but not limited to the warranties for the completeness or accuracy of the information provided herein.

No information provided herein – including any reference to any product or service – constitutes an offer for sale, or shall be construed as representing an offer for sale. In particular, nothing herein should be construed as a promotion or advertisement for any product, or for the use of any product, that infringes valid patents and/or is not authorized by the laws and regulations of your country of residence.